





Amendments to the Claims

1. (Original) A silsesquioxane resin wax comprising at least 40 mole % of siloxy units having the formula $(R_2R'SiO_{1/2})_x(R''SiO_{3/2})_y$, where x and y have a value of 0.05 to 0.95, R is an alkyl group having from 1 to 8 carbon atoms, an aryl group, a carbinol group, or an amino group, R' is a monovalent hydrocarbon having 9 – 40 carbon atoms, and R'' is a monovalent hydrocarbon group having 1 to 8 carbon atoms or an aryl group.

2. (Original) The composition of claim 1 wherein the silsesquioxane resin wax comprises the units:



wherein

R, R^1 , R^2 , and R^3 are independently an alkyl group having from 1 to 8 carbon atoms, an aryl group, a carbinol group, or an amino group,

R' is a monovalent hydrocarbon having 9 – 40 carbon atoms,

R'' is a monovalent hydrocarbon group having 1 to 8 carbon atoms or an aryl group

a, b, c, and d have value of zero to 0.4,

x and y have a value of 0.05 to 0.95,

with the provisos that the value of $x + y$ is equal to or greater than 0.40,

and the value of $a + b + c + d + x + y = 1$.

3. (Original) The silsesquioxane resin wax of claim 1 further comprising;

(C) a carrier selected from a volatile siloxane or organic solvent.

4. (Currently amended) A personal care product comprising the silsesquioxane resin wax of claim 1, ~~or 3.~~

5. (Original) The personal care product of claim 4, where the personal care product is a moisturizing cream or lotion.

6. (Currently amended) A household care product comprising the silsesquioxane resin wax of claim 1, ~~or 3.~~

7. (Currently amended) A crude oil wax control product comprising the silsesquioxane resin wax of claim 1, ~~or 3.~~

8. (Currently amended) An automotive care product comprising the silsesquioxane resin wax of claim 1, ~~or 3.~~

9. (Original) A process for preparing a silsesquioxane resin wax comprising reacting;

A) a SiH containing alkyl silsesquioxane resin,

B) a C₉ – C₄₀ vinyl terminated hydrocarbon,

C) a hydrosilylation catalyst,

and optionally,

D) a solvent.

10. (Original) The process of claim 9 where the SiH containing alkyl silsesquioxane resin comprises siloxy units of the formula $(R_2HSiO_{1/2})_x(R''SiO_{3/2})_y$, where
- R is an alkyl group having from 1 to 8 carbon atoms,
 - an aryl group, a carbinol group, or an amino group,
 - R'' is a monovalent hydrocarbon group having 1 to 8 carbon atoms or an aryl group,
 - x and y have a value of 0.05 to 0.95,
 - with the provisos that the value of x + y in the SiH containing alkyl silsesquioxane resin is equal to or greater than 0.40.
11. (New) A personal care product comprising the silsesquioxane resin wax of claim 3.
12. (New) A household care product comprising the silsesquioxane resin wax of claim 3.
13. (New) A crude oil wax control product comprising the silsesquioxane resin wax of claim 3.
14. (New) An automotive care product comprising the silsesquioxane resin wax of claim 3.